



Saudi Patient Safety Taxonomy

Impact

IMP001	Employee & Health Care Provider
IMP002	Patient
IMP003	Organization & Facility Management
IMP004	Public





Category

CAT001	Staff related issues
CAT002	Accommodation related issues
CAT003	Behavior
CAT004	Clinical Nutrition
CAT005	Communication issues
CAT006	Environmental/ Safety
CAT007	Facility Maintenance
CAT008	Falls
CAT009	Food services
CAT010	Housekeeping
CAT011	Infection Control related issues
CAT012	Information technology related issues
CAT014	Labor and Delivery related issues
CAT015	Laboratory related issues
CAT016	Laundry services
CAT017	Medical Equipment issues
CAT018	Medical imaging and diagnostic procedure
CAT019	Medication
CAT020	Occupational health
CAT021	Patient care management
CAT022	Pressure ulcer (injury)
CAT023	Procedural
CAT024	Radiation treatment (Ionizing radiation Non-Ionizing (US / UV / MRI / Laser / other)
CAT025	Security Related Issues
CAT027	Skin lesions/ Integrity
CAT028	Supply Chain issues (logistics)
CAT029	ID/Document/Consent
CAT095	Respiratory Care
CAT096	Home Care Related Issue
CAT097	CSSD Related Issues
CAT098	Research Incidents
CAT099	Transportation
CAT013	Intravenous
CAT100	Ambulance & Emergency Service
CAT101	Dialysis Related Issue





Subcategory

SUB001	General Security
SUB002	Suspected Abuse and Neglect by Healthcare provider/family
SUB003	Theft and Lost
SUB004	Narcotics and Dangerous Drugs
SUB005	Noncompliant/Uncooperative/Inappropriate Behavior
SUB006	Inconsiderate/Rude/Hostile Behavior
SUB007	Discrimination/Prejudice Behavior
SUB008	Death Threat Behavior
SUB009	Aggression Behavior
SUB010	Disruptive behaviors
SUB011	Family/sitter interfering with patient care
SUB012	Refusal to perform assigned tasks
SUB013	Non-Performance of Duty/Breach of Duty
SUB014	Reporting for Retaliation
SUB015	Bullying
SUB016	Dress Code Violation
SUB017	Inappropriate/Irresponsible Behavior
SUB018	Not Following orders
SUB019	Staff Confidentiality/Disclosure
SUB020	Unfair Dismissal
SUB021	Unfair Workload
SUB022	Wrongful Accusation
SUB023	Physician not privileged
SUB024	Non-compliance with organization policy and procedure
SUB025	Ethical issues
SUB026	Patient Disposition
SUB027	Clinical Administration
SUB028	Delayed delivery of blood/blood products
SUB029	Delayed feedback on rejected specimen
SUB030	Incomplete blood/blood products request
SUB034	Lost sample
SUB035	Wrong Patient's MRN
SUB036	Phlebotomy delayed
SUB037	Transfusion reaction
SUB038	Delayed Test Results
SUB039	Delayed return of unused blood products
SUB040	Unsuitable blood/blood products
SUB041	Wrong results





SUB042	Unavailability of Blood and Blood products
SUB043	Pre- Procedural
SUB044	During Procedural
SUB045	Heating / Ventilation / Air condition (HVAC) failure
SUB046	Disruption of power supply
SUB047	Failure of elevators
SUB048	Medical and Non Medical items misuse
SUB049	Misuse of Hospital property
SUB050	Foul smell from bathroom drain
SUB051	Foul smells from A/C systems
SUB052	Generator Failure
SUB053	Malfunction of Automated Doors
SUB054	Medical gas leaks
SUB055	Poor maintenance response
SUB056	Overflow of Sewage
SUB057	Disruption of water systems/services/Flooding
SUB058	Water leaks
SUB059	Disruption of AC systems
SUB060	Issue in Chiller
SUB061	Delay in maintenance work
SUB062	Major Disruption of power supply
SUB064	Steam Drop/Leak
SUB065	Fire
SUB066	Blocked access to emergency exit doors
SUB067	Blocked access to fire fighting equipment
SUB068	Blocked corridors and hallways
SUB069	Defective fire sectoring doors
SUB070	Exposed electrical wiring
SUB071	No/poor response from dispatcher
SUB073	Fire Alarm Related Issues
SUB074	Fire and Safety hazards
SUB075	Improper emergency exit signage (Missing or defective)
SUB076	Improper condition of fire fighting systems (e.g. Over-due inspection)
SUB077	Projects safety violations (Internal/External)
SUB078	Fire alarms not working
SUB079	Noise pollution
SUB080	Improper usage of personal protective equipment (PPE)
SUB081	Emergency call system malfunction
SUB082	Monitor Alarm Turned Off
SUB083	Safety precautions not followed
SUB084	Fire room blocked
SUB085	Heavy hanged equipment fall to the floor





SUB086	Lack of ramp for emergency evacuation
SUB087	Violating Smoking Policy
SUB088	Improper uses of fire hose reel
SUB089	Broken medical gas valve box
SUB090	Electrical cabinet/room not locked
SUB091	High pressure supply of Nitrous oxide
SUB092	Improper gas storage / not secured
SUB093	Improper handling of biohazard waste
SUB094	Improper storage of chemicals
SUB095	No call bell inside the bathroom
SUB096	No fire alarm pull station
SUB097	No warning sign upon mapping the floor
SUB098	Oxygen cylinder regulator not connected properly
SUB099	Oxygen cylinders not replaced
SUB100	Sharp edge plate on main access door
SUB101	Smoke detector removed
SUB102	Unknown chemical/potentially hazardous
SUB103	The Arrival of candidates to accommodation without Prior Notice form HR/Recruitment
SUB104	Delay of Housing Maintenance
SUB105	Furniture misuse
SUB106	Lack of Cooking Facilities
SUB107	Lack of Laundromat Facilities
SUB108	Lack of Refrigerator Facilities
SUB109	Housing security
SUB110	Housing safety
SUB111	Unauthorized design modification
SUB112	Unsafe Condition/ Environment
SUB113	Abuse of system authorities
SUB114	Accessing systems using someone else's authorization e.g. someone else's user id and password
SUB115	Disruption of Information Technology services
SUB116	Information security Issues
SUB117	Information leakage due to software errors
SUB118	Spreading of viruses
SUB119	Poor IT response
SUB120	Lack of IT Supplies (e.g. ink / PC / scanner / printers / DSL Modem / phone / pager)
SUB121	Posting or sharing official or patient information on social networking websites
SUB122	Someone asking to reset passwords not belonging to them
SUB123	Security weakness within the system
SUB124	Inappropriate storage facilities for patient related information
SUB125	Delay of reporting Images for diagnosis





SUB126	Failure to comply with reporting of critical finding
SUB127	No NPO Order
SUB128	High Creatinine Level
SUB129	Cold meal delivered
SUB130	Delayed meal delivery
SUB131	Foreign object found in food
SUB132	Lack of information on meal request
SUB133	Incorrect Storage of food
SUB134	Late meal modifications
SUB135	Problems related to ordering, prescription and serving of feed/foods/fluids
SUB136	Storage of expired food
SUB137	Wrong meal request
SUB138	Diet for Wrong Patient
SUB139	Wrong Diet
SUB140	Wrong Quantity
SUB141	Expired-food item/formula
SUB142	Food trays not distributed
SUB143	Food wastage
SUB144	Inappropriate Formula Labeling
SUB145	Patient NPO/Food served
SUB146	Absence of diet Order by Physicians
SUB147	Absence/Delay of diet recommendation by Clinical Dietitian
SUB148	Incorrect patient diet
SUB149	Absence/Delay of Nutritional Assessment of Clinical Dietitian
SUB150	Wrong Frequency by Clinical Dietitian
SUB151	Diet order not updated
SUB152	Known allergy
SUB153	No/incorrect order
SUB154	Unknown allergy
SUB155	Pest Control
SUB156	Overfilling sharp containers
SUB158	Device / Product / Medication / Fluid Associated Infections
SUB159	Hand-hygiene Processes/Procedures
SUB160	HazMat
SUB161	Protocols for Immunocompromised Patients
SUB162	Medical Waste
SUB163	Improper Practice of Infection Control Standards
SUB164	Protocols for Infected Patients
SUB165	Non-Availability of Biohazard Spill Kit
SUB166	Needlestick Injury
SUB167	Safe Injection/Sharps Disposal Processes/Procedures
SUB168	Exposure to infected persons/areas





SUB169	Intravascular Cannulae
SUB170	Infected Prosthesis/Site
SUB171	Non-compliance with bundles
SUB172	Collecting waste bags
SUB173	Improper biohazard / sharps disposal
SUB174	Improper cleaning
SUB175	Improper infected & contaminated laundry handling
SUB176	Improper medical waste collection
SUB177	Lack of pre-operative cleaning
SUB178	Contamination Body
SUB179	Improper Dressing
SUB180	Lack of follow up on patient LABELLED FOR ISOLATION
SUB181	Negative pressure not functioning
SUB182	Poor hand hygiene
SUB183	Patient not placed in isolation room
SUB184	Porta cath line infection
SUB185	Positive result endotoxin from carbon filter
SUB186	RO2 sample not collected for disinfection
SUB187	Sharp container not available
SUB188	Manual handling
SUB189	Accidents caused by external projects
SUB190	Accidents caused by internal projects
SUB191	Contact with hazardous substance
SUB192	Accidental exposure to radiation
SUB193	Other sharps injury
SUB194	Electric shock
SUB195	Injury from facility damages (Falling tiles etc.)
SUB196	Lifting Equipment or Machinery
SUB197	Slips / trips and collisions
SUB198	Injury caused by physical or mental strain
SUB199	Traffic Accident (Outside the organisation performing organisational duty)
SUB200	Injury caused by workplace violence or assaults
SUB201	Cleanliness of facilities
SUB202	Poor housekeeping response
SUB203	Lack of housekeeping items supplies
SUB204	Medical/non-medical waste mixing
SUB205	Misuse of housekeepers services
SUB206	Extravasation Grade 1
SUB207	Extravasation Grade 2
SUB208	Extravasation Grade 3
SUB209	Extravasation Grade 4
SUB210	Accidental Dislodgement





SUB211	Occlusion
SUB212	Infiltration Grade 1
SUB213	Wrong Label/Instruction
SUB214	Accidental Removal/ Dislodge
SUB215	Phlebitis
SUB216	Remove / Changed without Order
SUB217	Not Sutured
SUB218	Wrong Connection
SUB219	Wrong insertion
SUB220	Long time to change
SUB221	Leaking
SUB222	Pressure ulcer (injury) Stage 1
SUB223	Pressure ulcer (injury) Stage 2
SUB224	Pressure ulcer (injury) Stage 3
SUB225	Pressure ulcer (injury) Stage 4
SUB226	Deep Tissue Injury
SUB227	Indeterminable/Mucous Membranes
SUB228	Indeterminable/Under Non-Removal Dressing or Device
SUB229	Suspected Deep Tissue Injury
SUB230	Unstageable
SUB231	Bruise\Skin Lesion
SUB232	Cut Wound
SUB233	Hematoma
SUB234	Skin tear
SUB235	Surgical wound site
SUB236	Redness
SUB237	Skin peeling
SUB238	Cellulitis
SUB239	Excoriation
SUB240	Rash
SUB241	Blister
SUB242	Abrasion
SUB243	Wound Dehiscence
SUB244	Adverse Drug Reaction
SUB245	Medication Error of Administration
SUB246	Poor call center response
SUB247	Communication between staff / teams or departments
SUB248	Communication with the patient (other than consent issues)
SUB250	Failure of paging system
SUB251	Failure of telephone system
SUB252	Out On Pass Policy
SUB253	Transport Schedule/Policy





SUB254	Delay of response
SUB255	Difficulty in communicating & update critical results
SUB256	Inappropriate communication
SUB257	Inappropriate response to emergency call
SUB258	Incorrect interpretation
SUB259	Unprofessional communication
SUB260	Wrong information communicated
SUB261	Miscommunication
SUB262	Acceptance/eligibility issues
SUB263	Assisted Falls
SUB264	1st fall and Assisted fall
SUB265	1st fall
SUB266	Out On Pass
SUB267	Repeated and Assisted fall
SUB269	Repeated falls
SUB273	Fall during play
SUB274	Developmental fall
SUB275	Baby child dropped
SUB288	Unknown/Found on Floor
SUB290	Radiopharmaceuticals decay
SUB291	Radiopharmaceuticals Expiry
SUB292	Radiation unnecessary exposure
SUB293	Radiopharmaceuticals mislabeling
SUB294	Radiopharmaceuticals leakage
SUB295	Radiopharmaceuticals wrong location
SUB296	Radiopharmaceuticals mishandling
SUB297	Radiopharmaceuticals missing
SUB298	Radiation overdose
SUB299	Radiopharmaceuticals shortage
SUB300	Radiopharmaceuticals spill
SUB301	Radiation under-dose
SUB302	Cluttered area
SUB303	Poisoning
SUB304	NICU Admissions for Baby above 36wks
SUB305	Placental abruption
SUB306	Anaesthetic problem connected with labour or delivery
SUB307	APGAR score less than 7 (at 5 minutes)
SUB308	Born before arrival
SUB309	Breech presentation
SUB310	Birth – Related Trauma
SUB311	Cord prolapse
SUB312	Undiagnosed cephalo-pelvic disproportion





SUB313	Elective Caesarean Section
SUB314	Emergency Caesarean Section
SUB315	Difficult delivery
SUB316	Shoulder dystocia
SUB317	Fetal distress with Poor Outcome
SUB318	Labour assisted by forceps
SUB319	Unplanned homebirth
SUB320	Delivery using more than one instrument
SUB321	Intrapartum haemorrhage
SUB322	IUGR or placental insufficiency
SUB323	Prolonged first or second stage of labour
SUB324	Injury or poor outcome for the mother
SUB326	Delivery with PH < 7
SUB327	Post-partum haemorrhage > 1000ml
SUB328	Pre-eclampsia
SUB329	Placenta praevia
SUB330	Ruptured uterus
SUB331	Non availability of medical items in store
SUB332	Non-Availability of Non-Stock Items
SUB333	Non availability of furniture items
SUB334	Non authorised property movement
SUB335	Overstock of medical items in wards
SUB336	Unregistered medical device
SUB337	Damaged Items When Delivered
SUB338	Delayed medical items delivery response
SUB339	Lack of stationary items supplies
SUB340	Medical items alerts/recalls
SUB341	linen Services
SUB342	Lack of laundry services supplies
SUB343	Poor laundry services response
SUB365	ID
SUB366	Consent
SUB367	DNR
SUB368	Documentation
SUB369	Electrical items not tested
SUB370	Home Care Equipment Issues
SUB371	Medical Equipment Broken or Abuse
SUB372	Medical equipment misuse
SUB373	Medical device unexpected failure
SUB374	Improper / missing tagging of medical equipment
SUB375	Medical equipment training related issues
SUB376	Delayed Response for New medical Equipment Request





SUB377	Delivered Device is not matching the Requirements
SUB378	Poor biomedical engineering response to Emergency calls
SUB379	Medical Device PPM Over Due
SUB380	Medical Device violating safety standards
SUB381	Medication out of stock
SUB382	CPR (Code Blue)
SUB383	Expired Product
SUB384	Wrong Blood/ Wrong product
SUB385	Wrong Blood Quantity
SUB387	Inappropriate storage
SUB388	Blood product not available
SUB389	Blood product not prepared
SUB390	Hemolysis
SUB658	Isolation Processes/Protocols for Handling of Body Fluids/Tissues
SUB659	Isolation Processes/Protocols for Immunocompromised Patients
SUB660	Isolation Processes/Protocols for Infected Patients
SUB661	Public health and Food Safety
SUB662	Bacterial filters on Mechanical Ventilation are not changed after 24 hours of use
SUB663	Bacterial filters are not changed during Mechanical Ventilation
SUB664	Excessive /Inappropriate fractions of inspired oxygen (FiO2) administered to a ventilated patient (Hyperoxia)
SUB665	Heat and Moisture Exchanger (HME) not used during Mechanical Ventilation
SUB666	Heat and Moisture Exchanger (HME) used incorrectly during Mechanical Ventilation
SUB667	Heat and Moisture Exchanger (HME) not changed for 48 hours during Mechanical Ventilation for a COPD patient
SUB668	Heat and Moisture Exchanger (HME) not changed for 72 hours during Mechanical Ventilation for a Non- COPD patient
SUB669	Wrong ABG interpretation
SUB670	Unplanned extubation
SUB671	Self Extubation
SUB672	Poor Mouth Hygiene
SUB673	in compliance with a dress code and a sterilized dress
SUB674	Intimidation
SUB675	Sexual harassment and sexual abuse
SUB676	Failure of mutual respect. fairness and courtesy
SUB677	Conflict of interests (financial or Non-financial)
SUB678	Infiltration Grade 2
SUB679	Infiltration Grade 3
SUB680	Infiltration Grade 4
SUB681	No response to paging system
SUB682	Results in death
SUB683	Ceiling and/or walls repairs required





SUB684	Hazardous materials not labelled/incorrectly labelled
SUB685	Leave Related Issues
SUB686	Pay/Salary Related Issues
SUB687	Splash Injury
SUB688	Losing documents with sensitive information in
SUB689	Using online storage and patient related information
SUB690	Communication with Watcher
SUB694	POCT Related Issues
SUB695	Unlabeled sample
SUB696	Lack of medical equipment accessories and parts supplies
SUB697	Pneumatic tube system not working
SUB701	Unable Sample
SUB702	Medication Error of Dispensing
SUB703	Medication Error of Documentation
SUB704	Medication Error of Monitoring
SUB705	Medication Error of Preparation
SUB706	Medication Error of Prescribing
SUB707	Medication Error of Transcribing
SUB708	Delay of work order processing
SUB709	Missing instruments from surgical pack
SUB710	broken instrument within surgical pack
SUB711	Broken sterile package
SUB712	Equipment accessories missing
SUB713	Pharmacy Product Quality Issues
SUB714	Bacterial filters not used during Mechanical Ventilation
SUB715	Car Break down or Accident
SUB716	Cancelled by Patient / Relatives
SUB717	Cancelled by Home Care Team
SUB718	Change of residential location
SUB719	No Male or Female Chaperone
SUB720	Confirmed Visit no response
SUB721	Out of Town
SUB722	Patient appointment in the Hospital
SUB723	Patients is not available for scheduled visit
SUB724	Re-admission to Hospital
SUB725	Unable to contact patient by phone
SUB726	Unable to locate patients house
SUB727	Burn
SUB728	Medical Adhesive Related Skin Injury (MARSI)
SUB729	Moisture Associated Skin Damage (MASD)
SUB730	Missing part/s of instrument from sterile pack
SUB731	congenital anomaly / Birth defect





SUB732	Sterile pack not stored correctly
SUB733	rusty instruments in sterile pack
SUB734	sterile pack Broken
SUB735	expired sterile pack
SUB736	Broken Scope
SUB737	Improper cleaning of equipments / instruments
SUB738	Post Procedural
SUB739	Code Stroke
SUB740	Audio-visual Related Issues
SUB741	Requires / prolongs hospitalization
SUB742	life threatening
SUB743	Protocol Deviation/Protocol Violation
SUB744	disabling / incapacitating
SUB746	Suspected Abuse and Neglect (SAN)
SUB747	Emergency Code
SUB748	Booking of transport services for unlegible beneficiaries
SUB749	Late arrival of driver
SUB750	Misuse of A vehicles
SUB503	Hospital acquired infection
SUB751	Incorrect blood group
SUB752	Blood Product Contaminated
SUB753	Clotted
SUB754	Wrong infusion rate/Needle gauge
SUB756	Wrong blood product infused
SUB757	Wasted Blood
SUB758	Blood Bag broken/leaking seal
SUB760	Record Not Found
SUB761	System Down
SUB762	Medical Equipment Not Available
SUB763	Machine Temperature monitoring related issues
SUB764	MDR Monitor
SUB765	Contaminated water
SUB767	Skin Discoloration
SUB768	Friction burn
SUB769	Multiple abrasion due to RTA
SUB770	Old scar
SUB771	Scratch/ Skin abrasion
SUB772	Small ulcer or blister not in pressure area
SUB773	Specimen integrity
SUB774	Wrong specimen
SUB775	Stock Variances
SUB776	Supplies Wasted





SUB777	Warehouse sending unapproved items
SUB778	Contrast reaction
SUB779	Extra Radiation Exposure
SUB780	Electricity Overload
SUB781	Opened Doors for close unites / Exit
SUB782	No response to monitor alarms
SUB783	Inadequate emergency lighting
SUB785	Chemical spill
SUB786	Smell of smoke
SUB787	Not following orders
SUB788	Maintenance deficit
SUB789	3rd or 4th degree tears post delivery
SUB790	Nursing call system malfunction/deficit
SUB791	Erb's palsy
SUB792	Emergency door alarm don't work
SUB798	Fall with injury
SUB794	Wrong report released
SUB795	Wrong side imaging released
SUB796	Imaging released for the wrong patient
SUB797	Modified report after releasing
SUB799	2nd Fall
SUB800	Assault / Harassment
SUB801	Lifting Patient
SUB802	No Access to Healthcare System
SUB803	Requested Diagnostic Imaging Form Incomplete
SUB804	Exam not available when required
SUB805	Missing Sample /Specimen
SUB807	Lab tests not available when required
SUB808	Failure/delay to order a tests
SUB809	Misuse of Internet or other facilities
SUB810	Borrowed not return
SUB811	FFP Wastage
SUB812	Cryo Wastage
SUB813	Platelet Wastage
SUB814	Failed Transfusion
SUB815	Poor Quality of Laundry Service
SUB816	Poor Quality of Food
SUB817	Workload affected by external hazard
SUB818	Hitting or affected by the facility lead to injury





SUB819	Hazardous Materials - inventory / handling / storage
SUB820	On Job injuries
SUB821	Unsafe Action
SUB822	Critical result not reported
SUB823	Critical result reported
SUB824	Rapid Response Team(RRT)related issues
SUB825	Delayed delivery of specimen /sample
SUB826	Expired Medication
SUB827	Difficulty of insertion
SUB828	Insufficient quantity of sample
SUB829	Food poisoning
SUB830	Staff Availability
SUB831	Wrong blood tub/container
SUB832	Gas cylinders not refilled
SUB833	Supplies Misuse
SUB834	packing/labeling Failure
SUB835	Contaminated equipment/supplies
SUB836	Delay in administering blood product
SUB837	Hypoxic encephalopathy in a new born
SUB838	emergency situation or external disaster(Code Yellow)
SUB840	Counterfeit
SUB841	Delivery without Doctor
SUB842	Item alert/ recall
SUB843	Accident while transferring patient
SUB844	Break Down
SUB845	Driver No Show
SUB846	Ambulance not working
SUB847	Ambulance not available
SUB848	Ambulance not equipped with required medical items
SUB849	Transfer patient with out healthcare staff
SUB850	Flat Tire
SUB851	Access Line related Issue (AVG/AVF)
SUB852	Patients not showing up or shortening treatments
SUB853	Patients not reaching target weights
SUB854	Permcath Issues
SUB855	Seroconversion
SUB856	Accidental disconnection during hemodialysis resulting of loss of blood
SUB857	Accidental removal of catheter (home or during treatment)
SUB858	Aneurysm
SUB859	cardiac arrest during dialysis
SUB860	Catheter Infection





SUB861	Accidental puncture of artery/catheter inserted into artery rather than in vein
SUB862	Unsecured catheter
SUB863	Permacath cuff exposed
SUB864	Hub out of catheter
SUB865	Hypotension
SUB866	Dialysis site hematoma
SUB867	Decreased LOC
SUB868	Positive Blood cultures or clinical signs of infection
SUB869	Prolonged bleeding post dialysis (after removal of needles)
SUB870	Pyrogenic reaction
SUB871	Seizures
SUB872	Wrong electrolyte bath running
SUB873	Wrong insertion/Difficulty of insertion
SUB874	Poor quality of supply





Details

DET001	Potential facility property damage
DET002	Vandalism
DET006	Inappropriate/Aggressive Behavior
DET007	Left with permission and did not return
DET008	Left with permission and returned late
DET009	Left without permission and not returned -Absconded
DET010	Left without permission and returned late
DET011	Unauthorized entry
DET012	Unauthorized usage of hospital property
DET013	Fraud
DET014	No property pass
DET015	Smoking policy violation
DET016	Unclaimed patient belongings
DET017	Public Disorder
DET019	Staff not wearing badges/Identification while in hospital premises
DET020	Poor security response
DET021	No security staff in the building
DET022	Noncompliance with visiting hours' policy
DET025	Door lock changed
DET026	Suicidal Attempt
DET030	Weapon Found
DET242	Access door malfunction
DET293	Photography/Videography of Healthcare Facility environment by Patient
DET294	Photography/Videography of Healthcare Facility environment by Watcher /Family Patient
DET295	Unauthorized photography/videography of healthcare facility staff by the patient
DET296	Unauthorized photography/videography of healthcare facility staff by watcher/ patient family





Level Of Harm

LOH001	Category A
LOH002	Category B
LOH003	Category C
LOH004	Category D
LOH005	Category E
LOH006	Category F
LOH007	Category G
LOH008	Category H
LOH009	Category I
LOH010	Near Miss
LOH011	Minor
LOH012	Moderate
LOH013	Major
LOH014	Catastrophic
LOH015	None

